

Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 5

sds no.: 105502

V002.2 Revision: 06.02.2012

printing date: 05.08.2013

Technomelt Supra 100

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Technomelt Supra 100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

paper- and packaging adhesive

1.3. Details of the supplier of the safety data sheet

Henkel Limited

Apollo Court, 2 Bishop Square Business Park

AL10 9EY Hatfield

Great Britain

Phone: +44 (1707) 635000 Fax-no.: +44 (1707) 635099

ua-productsafety.uk@uk.henkel.com

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

No data available.

Classification (DPD):

No classification required.

2.2. Label elements

Label elements (CLP):

No data available.

Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

MSDS-No.: 105502 Technomelt Supra 100 Page 2 of 5

V002.2

SECTION 3: Composition/information on ingredients

General chemical description:

Hotmelt adhesive

Base substances of preparation:

Hydrocarbon resins

Declaration of the ingredients according to CLP (EC) No 1272/2008:

No data available.

Declaration of ingredients according to DPD (EC) No 1999/45:

Contains no dangerous substances exceeding the limits of the EU-Regulation

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Molten product. After skin contact cool down immediately with cold water. Do not remove adherent product. Seek medical advice.

Eye contact:

After contact with the hot melt: cool with water, seek medical attention.

Ingestion:

Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In case of fire toxic gases can be released.

5.3. Advice for firefighters

Wear protective equipment.

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

MSDS-No.: 105502 Technomelt Supra 100 Page 3 of 5

V002.2

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Allow to solidify.

Remove mechanically.

Dispose of contaminated material as waste according to Chapter 13.

6.4. Reference to other sections

See advice in chapter 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture.

Ensure good ventilation/extraction.

Keep only in the original container.

Store in a cool, dry place.

7.3. Specific end use(s)

paper- and packaging adhesive

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Valid for

Great Britain

Ingredient	ppm	mg/m ³	Type	Category	Remarks
PARAFFIN WAX, FUME		2	Time Weighted Average		EH40 WEL
8002-74-2			(TWA):		
PARAFFIN WAX, FUME		6	Short Term Exposure		EH40 WEL
8002-74-2			Limit (STEL):		

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Hand protection:

Wear refractive gloves while working with the hot melt.

Eye protection:

Protective goggles

Skin protection:

Wear protective equipment.

Advices to personal protection equipment:

Use only personal protection that's CE-labelled according to the regulation no. 819 of 19 August 1994.

MSDS-No.: 105502 Technomelt Supra 100 Page 4 of 5

V002.2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance granulate

solid

white Odor specific

pH No data available / Not applicable
Initial boiling point No data available / Not applicable
Flash point No flash point up to 200 °C
Decomposition temperature No data available / Not applicable

Vapour pressure < 0,01 mbar

(20 °C (68 °F))

Density No data available / Not applicable Bulk density No data available / Not applicable

Viscosity 1.200 - 1.600 mPa.s

(Brookfield; Instrument: RVDV II+; 160 °C (320 °F); speed of rotation: 100 min-1; Spindle

No: 27)

Viscosity (kinematic) No data available / Not applicable Explosive properties No data available / Not applicable

Solubility (qualitative) Insoluble

(20 °C (68 °F); Solvent: Water)

Solidification temperature No data available / Not applicable No data available / Not applicable Melting point No data available / Not applicable Flammability Auto-ignition temperature No data available / Not applicable Explosive limits No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable Evaporation rate No data available / Not applicable No data available / Not applicable Vapor density No data available / Not applicable Oxidising properties

9.2. Other information

Softening point/range 100 - 110 °C (212 - 230 °F)

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

None if used for intended purpose.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

No decomposition if used according to specifications.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General toxicological information:

To the best of our knowledge no harmful effects are to be expected if the product is handled and used properly.

MSDS-No.: 105502 Technomelt Supra 100 Page 5 of 5

V002.2

SECTION 12: Ecological information

General ecological information:

Do not empty into drains, soil or bodies of water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

The valid EEC waste code numbers are not product-related but are largely source-related. These can be requested from the manufacturer.

SECTION 14: Transport information

Road transport ADR:

Not dangerous goods

Railroad transport RID:

Not dangerous goods

Inland water transport ADN:

Not dangerous goods

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 0,00 %

VOC content

(VOCV 814.018 VOC regulation

CH)

SECTION 16: Other information

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.